

# Product Specification

Specification Number

675 TIP25A

Revision

02

Part No. 675 TIP25A  
Description Standard Tip – 25mm  
Material of Construction: 316L stainless steel



Method of Construction: Machined from solid bar  
Surface Finish: Better than 0.8 microns Ra  
Overall Length: 39 mm  
Thread Size: M23 x 1.5  
Nominal Weight: 90 g  
Standard Tip - suitable for most situations. The standard tip has a 60° point

Part No. 675 TIP25P  
Description Pointed Tip – 25mm  
Material of Construction: 316L stainless steel



Method of Construction: Machined from solid bar  
Surface Finish: Better than 0.8 microns Ra  
Overall Length: 71 mm  
Thread Size: M23 x 1.5  
Nominal Weight: 137 g

Pointed Tip - ideal for use with hard or dense products, the tips have a 25° point

	<h1>Product Specification</h1>	Specification Number	675 TIP25R
		Revision	02

Part No. 675 TIP25R

Description Round Tip – 25mm

Material of Construction: 316L stainless steel



Method of Construction: Machined from solid bar

Surface Finish: Better than 0.8 microns Ra

Overall Length: 29 mm

Thread Size: M23 x 1.5

Nominal Weight: 95 g

Round Tip - ideal when you need to ensure that the sampler will not harm the surrounding equipment. For example - when sampling close to a mesh screen

	<h1>Product Specification</h1>	Specification Number	675 TIP40A
		Revision	02

Part No. 675 TIP40A  
Description Standard Tip – 40mm  
Material of Construction: 316 stainless steel



Method of Construction: Machined from solid bar  
Surface Finish: Better than 0.8 microns Ra  
Overall Length: 51 mm  
Thread Size: M38 x 1.5  
Nominal Weight: 280 g

Standard Tip - suitable for most situations. The standard tip has a 60° point



# Product Specification

Specification Number	675 TIP40P
Revision	02

Part No. 675 TIP40P  
Description Pointed Tip – 40mm  
Material of Construction: 316L stainless steel



Method of Construction: Machined from solid bar  
Surface Finish: Better than 0.8 microns Ra  
Overall Length: 87mm  
Thread Size: M38 x 1.5  
Nominal Weight: 412g

Pointed Tip - ideal for use with hard or dense products, the tips have a 25° point

	<h1>Product Specification</h1>	Specification Number	675 TIP40R
		Revision	02

Part No. 675 TIP40R  
Description Round Tip – 40mm  
Material of Construction: 316L stainless steel



Method of Construction: Machined from solid bar  
Surface Finish: Better than 0.8 microns Ra  
Overall Length: 39 mm  
Thread Size: M38 x 1.5  
Nominal Weight: 300 g

Round Tip - ideal when you need to ensure that the sampler will not harm the surrounding equipment. For example - when sampling close to a mesh screen